

Request for Bid Proposal

The City of Iron Mountain, City Hall, 501 South Stephenson Iron Mountain, MI 49801, will receive sealed bids no later than June 21st, 2021 at 4:00 CST. For:
“Crack Fill and Mastic City Park Tennis Courts Cracks”.

The City reserves the right to accept or reject any or all bids, waive irregularities or accept the bid in their opinion most advantageous to the city.

THE BID TOTAL PRICE IS TO BE SUBMITTED ON THIS BID SHEETS PROVIDED BY THE CITY.

BIDDER SHALL PROVIDE A MATERIAL PARTS LIST AND SPEC SHEETS FOR THE ENTIRE PROJECT AND ATTACH TO CITY BID SHEET.

Minimum Specifications:

Tennis Court Preparation

Weed kill cracks and in between cement and asphalt at least 7 days prior to doing any work. Re-apply weed killer on the commencement of work on any spots that may have been missed or did not die.

Cracks

Cut/Route cracks to a one-to-one ratio (router or saw blade to be 20hp or larger). Heat lance with a LAB heat lance or equivalent (weed burning torch and compressed air not acceptable). Heat lance cracks to remove dust, debris and dead vegetation. Pressure fill cracks with fed. spec. 3405 hot rubber (RW Meadows or equivalent). Crack sealing material cannot be above or flush with the playing surface. Material must be ¼ to ½ inch below the playing surface. No rubber material can be on the playing surface otherwise future sealing or painting will not adhere and will flake off of rubber material

Mastic

Apply mastic (Crafco Mastic one or equivalent) to any wide transverse or longitudinal cracks or joints to level out the playing surface. Follow all installation instructions and best practices for best results. Future seal coating and painting has a better adhesion rate while it doesn't adhere to rubber material.

Special Conditions

No overspray will be accepted on any area other than asphalt. Contractor shall be responsible for any and all cleanup. The City of Iron Mountain may have a qualified inspector on site at any or all times. Please inspect asphalt area and provide feedback to any areas of concern and pricing to repair these as a separate line item.

Project start date and restrictions

Projects must be coordinated with DPW Supervisor Scott Thomas, it must be scheduled around City events. Contractor is responsible to contact Scott Thomas (906)-396-8715, 5 days in advance of the start date.

Traffic Control

The contractor shall be responsible for blocking off all areas to be treated.

Warranty

The crack fill product or any part thereof shall be warranted against defects in material or workmanship within one year from installation, and shall be replaced and repaired at no charge to the city with approved material.

INSURANCE

The Contractor shall provide the City of Iron mountain with the flowing evidence of Insurance before any commencement of work.

Worker’s Compensation

Coverage A	Statutory-Michigan
Coverage B	\$1,000,000

Comprehensive General Liability

Bodily Injury	\$1,000,000 Combined Single Limits (minimum)
Property Damage	\$1,000,000 Combined Single Limits (minimum)

Comprehensive Automobile Liability

Auto Liability	\$1,000,000 Combined Single Limits (minimum)
----------------	--

The City reserves the right to accept or reject any or all bids, waive irregularities or accept the bid in their opinion most advantageous to the city.

THE BID TOTAL PRICE IS TO BE SUBMITTED ON THIS BID SHEETS PROVIDED BY THE CITY.

BIDDER SHALL PROVIDE A MATERIAL PARTS LIST AND SPEC SHEETS FOR THE ENTIRE PROJECT AND ATTACH TO CITY BID SHEET.

GUARANTEED COMPLETION DATE: _____

Submit bid in sealed envelope, clearly marked
“Crack Fill and Mastic City Park Tennis Courts Cracks”
no later than June 21st, 2021 at 4:00 CST.

Total Price: _____

Company: _____

Address: _____

Signature: _____

Date: _____

Phone Number: _____

Email: _____